

Future Electricity Technologies and Systems

*Tooraj Jamasb
William J. Nuttall
Michael Pollitt*


www.electricitypolicy.org.uk

Series

Department of Applied Economics
Occasional Papers (No. 67)

Hardback (ISBN-13:
9780521860499 | ISBN-10:
0521860490)

£50.00



<http://www.cambridge.org/uk/catalogue/catalogue.asp?isbn=0521860490>

Context

Table 3: Energy-Related CO₂ Emissions (million tonnes)

Source: IEA (2004a, p.75)

	OECD		Transition Economics		Developing Countries		World	
	2002	2030	2002	2030	2002	2030	2002	2030
Power Sector	4 793	6 191	1 270	1 639	3 354	8 941	9 417	16 771
Industry	1 723	1 949	400	618	1 954	3 000	4 076	5 576
Transport	3 384	4 856	285	531	1 245	3 353	4 914	8 739
Residential and Services	1 801	1 950	378	538	1 068	1 930	3 248	4 417
Other*	745	888	111	176	605	1 142	1 924	2 720
Total	12 446	15 833	2 444	3 501	8 226	18 365	23 579	38 214

* Includes international marine bunkers (for world totals only), other transformation and non-energy use.

Electricity, Carbon, and Renewables

- Electricity 60% of EUETS
- EU electricity from renewables 21% by 2010 (15%, 2001)
- UK 60% CO₂ reduction by 2050

Motivations for the book

- To allow a wide range of energy professionals to broaden their knowledge
 - e.g. to allow a wind specialist to learn about biomass.
- To stress the diversity of technological options.
- To offer a system perspective to specific technologies.
- To map long-term technological issues and possibilities

Content overview (1)

- **Part I: Renewable Generation Technologies**

- **Wind power**
 - *Poul Erik Morthorst (Riso)*
- **Solar Energy**
 - *Asim Mumtaz and Gehan Amaratunga (Univ. of Cambridge, Dept of Engineering)*
- **Bioenergy - Thermal Biomass**
 - *Tony Bridgwater (Aston University)*
- **Wave Energy**
 - *Tom Thorpe (Energetech Australia Pty. Ltd) and Robin Wallace (Univ. of Edinburgh)*

- **Part II: New Technologies for Thermal Generation**

- **CO₂ Capture, Transport and Storage**
 - *Nils Røkke (SINTEF Energy Research)*
- **Nuclear Energy**
 - *Malcolm Grimston (Imperial College)*
- **Minutuarisation of the Generation**
 - *Andreas Biermann (International Energy Agency)*

Content overview (2)

- **Part III: Electricity Conversion and Transmission**
 - **Superconductors**
 - *Archie Campbell (Univ. of Cambridge)*
 - **Power Electronics**
 - *Tim Green and Carlos Hernández Arámburo (Imperial College)*
 - **Sustainable Hydrogen**
 - *Peter P. Edwards, Martin Owen Jones, Matthew T. J. Lodge, Simon R. Johnson (Univ. of Oxford and Vladimir L. Kuznetsov (Univ. of Cardiff).*
 - **Electrical Energy Storage**
 - *Alan Ruddell (Rutherford Appleton Laboratory)*
- **Part IV: End-Use Industrial Technologies**
 - **Buildings**
 - *Wolfgang Eichhammer (Frauenhofer Institute fuer Systemtechnik und Innovationsforschung, KA)*
 - **Transport**
 - *Ronnie Belmans and Pieter Vermeyen (Katholieke Universiteit Leuven)*
 - **End-Use Technologies**
 - *Lynn Price and Christina Galitsky (Lawrence Berkeley National Laboratory)*
 - *Ernst Worrell (Ecofys)*
 - **Smart Metering in the UK**
 - *Hannah Devine-Wright and Patrick Devine-Wright (De Montfort University)*

Scenarios: UK Electricity Supply to 2050

(Elders et al., 2005)

<i>Scenario name</i>	<i>Economic growth</i>	<i>Technological growth</i>	<i>Environmental attitudes</i>	<i>Political & regulatory environment</i>
<i>Strong Optimism</i>	More than recently	Revolutionary	Stronger	Liberalised
<i>Business as Usual</i>	Same as recently	Evolutionary	As at present	Liberalised
<i>Economic Downturn</i>	Less than recently	Evolutionary	Weaker	Liberalised
<i>Green Plus</i>	Same as recently	Revolutionary	Much stronger	Liberalised
<i>Technological Restriction</i>	More than recently	Evolutionary	Stronger	Liberalised
<i>Central Direction</i>	Same as recently	Evolutionary	Stronger	Interventionist

2050 Technology Adoption in *Business as Usual Scenario*

Technology	Scope of application
<i>Wind generation</i>	Strong development (around 12GW of offshore capacity and 2-3GW onshore, totalling 12-15% of electrical energy generated)
<i>Photovoltaic generation</i>	Integrated into some new buildings, deeply embedded in distribution networks (less than 1GW, around 1% of energy)
<i>Biomass electricity generation</i>	Strong application of mainly smaller-scale plants and CHP (around 10GW, 10-15% of energy)
<i>Wave generation</i>	Some application in relatively small developments (up to 2-3GW in total, 3-5% of energy)
<i>CO2 capture</i>	Applied to a proportion of new CCGT and coal generators; 10-20GW of total capacity. Adopted for hydrogen production
<i>Nuclear generation</i>	One or two new stations using developments of existing technology (2-4GW, 5-10% of energy)
<i>Microgeneration</i>	Strong deployment, mainly using existing technology; total capacity of around 15GW, 20% of energy)

Comparing scenarios

Scenario	Total Generation Capacity (GW)	Renewable generation (% of Total Capacity)	Renewable generation (% of Total Energy)	Central generation (% of Total Capacity)	Central generation (% of Total Energy)
Current Situation	74 ¹	7%	4% ²	84%	90%
Strong Optimism	145	60-70%	50%	10-20%	10-20%
Business as Usual	110	40-50%	30%	45%	50%
Economic Downturn	55	20-30%	10-20%	65%	75%
Green Plus	110	90%	80%	0%	0%
Technological Restriction	135	50-60%	40%	30%	40-50%
Central Direction	100	60%	50-60%	20-25%	25-30%

Table 9: Summary of electricity generation in each scenario

Common issues to all technologies

- Market orientation
- Need for R+D and technology policy
- Price of fossil fuels
- Macro economic growth
- Public acceptance of technology

Conclusions

- Future electricity systems are likely to be diverse.
- Various technologies are at different points of the development stage - options in 2010 differ from those of 2020.
- Significant role for policy - to create the framework and balance R&DD and market